


## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| L1    | 16802 | 707/2 or 707/3 or 707/4 or 707/102  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:06 |
| L2    | 4     | 1 and (convert\$ same SQL) and (recommendation same SQL)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:10 |
| L3    | 591   | 1 and (optimiz\$3 same SQL)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:10 |
| L4    | 8     | 3 and (recommendation with query)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:11 |
| L5    | 206   | 1 and (optimiz\$3 same code same (SQL or query or statement))                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:12 |
| L6    | 1     | 1 and (optimiz\$3 same code same (SQL or query or statement)) and (recommendation with query)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:13 |
| L7    | 1     | (optimiz\$3 same code same (SQL or query or statement)).clm. and (recommendation with query)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:14 |
| L8    | 2     | (optimiz\$3 same program same (SQL or query or statement)).clm. and (recommendation with query) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:14 |

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| L1    | 16802 | 707/2 or 707/3 or 707/4 or 707/102  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:06 |
| L2    | 4     | 1 and (convert\$ same SQL) and (recommendation same SQL)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:10 |
| L3    | 591   | 1 and (optimiz\$3 same SQL)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:10 |
| L4    | 8     | 3 and (recommendation with query)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:11 |
| L5    | 206   | 1 and (optimiz\$3 same code same (SQL or query or statement))                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:12 |
| L6    | 1     | 1 and (optimiz\$3 same code same (SQL or query or statement)) and (recommendation with query)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:13 |
| L7    | 1     | (optimiz\$3 same code same (SQL or query or statement)).clm. and (recommendation with query)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:14 |
| L8    | 2     | (optimiz\$3 same program same (SQL or query or statement)).clm. and (recommendation with query) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/07/05 16:14 |

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

recommended sQL statement to modify source

[Advanced Search](#)  
[Preferences](#)**Web**Results 1 - 10 of about 531,000 for recommended sQL statement to modify source code. (0.77 seconds)DB2 Universal Database

Manually linking DB2 Universal Database to the data **source** client libraries ... Editing an **SQL statement** in the **SQL code** view · Resetting an **SQL statement** ...  
 publib.boulder.ibm.com/infocenter/db2help/index.jsp - [Similar pages](#)

Connotea: code

The **source code** for Connotea is available for you to use and **modify** under the terms of the ... Added methods for profiling **code** and dumping **SQL statements**. ...  
 www.connotea.org/code - 43k - [Cached](#) - [Similar pages](#)

Static SQL Statements

Static **SQL Statements** can be used directly in the **source code** as a normal ... and execute the **SQL statement**), but you cannot **modify** the **SQL** text at runtime. ...  
 www.4js.com/exclude/en/html/fgl/User/StaticSql.html - 26k - [Cached](#) - [Similar pages](#)

Solution guide for migrating Oracle on UNIX to SQL Server on Windows

Change all embedded **SQL statements** to T-SQL. Refer to Chapter 11, ... **Modify** the **source code**. The original script written for use with DBD::Oracle has to be ...

www.microsoft.com/technet/itsolutions/cits/interopmigration/unix/oracleunixtosql/or2sql12.msp - 51k - [Cached](#) - [Similar pages](#)

Solution guide for migrating Oracle on UNIX to SQL Server on Windows

**Modify** the application **source code** to reflect the new data **source**. ... In **SQL Server**, a **SELECT statement** that is not disclosed on a cursor returns rows to ...

www.microsoft.com/technet/itsolutions/cits/interopmigration/unix/oracleunixtosql/or2sql13.msp - 73k - [Cached](#) - [Similar pages](#)

Bristle Software SQL Tips

Dynamic **SQL** in a Stored Procedure; Search **Source Code** of Stored Procedures ... This section contains tips on **PL/SQL statements** – the Oracle "procedural ...

www.bristle.com/Tips/SQL.htm - 63k - [Cached](#) - [Similar pages](#)

[PDF] Hack-proofing Oracle Application Server

File Format: PDF/Adobe Acrobat

How would an attacker change a **SQL Statement** to another **SQL statement**? ... the **source code**, however there bugs in many of the common web servers that allow ...

www.nyoug.org/200309newman.pdf - [Similar pages](#)

[PDF] Námskei í IBM DB2 Universal gagnagrunni

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Use UPDATE, INSERT, ALTER and DELETE to **modify SQL** tables. • Use the **SELECT statement** to extract data from tables and views. • **Code SQL** queries that include ...

www.t.is/ResourceImage.aspx?raid=294 - [Similar pages](#)

SQLTools by Perfect Sync

What Does a **SQL Tools** Program Look Like? Here's the **BASIC source code** for a simple program that opens a database, retrieves all of the data from a table, ...

www.powerbasic.com/products/sqltools/ - 23k - [Cached](#) - [Similar pages](#)

Migration prep, part 4: Automating migration to MySQL


Migration without **SQL statements** (triggers, stored procedures) using the automated ... the **source code** to meet any of the organization's specific needs. ...

searchenterpriselinux.techtarget.com/originalContent/0,289142,sid39\_gci1069243,00.html -

<http://www.google.com/search?hl=en&sa=X&oi=spell&resnum=0&ct=result&cd=1&q=recommended+sQ...> 7/5/2006

56k - [Cached](#) - [Similar pages](#)

**Google Groups results for recommended sQL statement to modify source code**

 [make any database have the ability of logging within 10 ...](#) - comp.lang.java.programmer - May 14, 2006  
[Online query to my database](#) - microsoft.public.sqlserver.con ... - Dec 27, 2004

Try your search again on [Google Book Search](#)


Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Web Images Groups News Froogle Maps [more »](#)

recommended sQL statement to modify progr

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about **549,000** for **recommended sQL statement to modify program code**. (1.05 seconds)**SQL, threadsafe and other programming considerations for CICS DB2 ...**It is **recommended** that you use qualified **SQL** for dynamic **SQL statements**, because it is ... In most cases this makes the **program** easier to read and **modify**. ...publib.boulder.ibm.com/infocenter/ cicsts31/topic/com.ibm.cics.ts.doc/dfhtk/dfhtkb0056.htm - 43k - [Cached](#) - [Similar pages](#)**Instructions for executing the generated object maintenance JCL**You may need to **modify** these settings in the generated JCL to meet your ... 4, A **SQL statement** received a warning **code**. 8, A **SQL statement** received an error ...publib.boulder.ibm.com/infocenter/db2help/  
topic/com.ibm.db2.udb.cc.doc/db2\_390/obpolicywizardref.htm - 31k -[Cached](#) - [Similar pages](#)[ [More results from publib.boulder.ibm.com](#) ]**SQLTools by Perfect Sync**What Does a **SQL Tools Program** Look Like? Here's the BASIC source **code** for a ... Tools supports both DSN and DSN-less connections) 'execute a **SQL statement**. ...www.powerbasic.com/products/sqltools/ - 23k - [Cached](#) - [Similar pages](#)**Open Directory - Computers: Programming: Languages: PHP: Tutorials**A basic level of understanding of PHP and **SQL** is **recommended**. ... PHP Feedback Form with Source **Code** - Tutorial for feedback, bug report, contact PHP forms ...

dmoz.org/Computers/Programming/Languages/PHP/Tutorials/ - 28k -

[Cached](#) - [Similar pages](#)**MySQL Basics - A Tutorial**Using multiple lines allows you to break down the **SQL statement** into steps ... Also, Paul DuBois' book, MySQL , comes highly **recommended** and you can buy it ...www.analysisandsolutions.com/code/mybasic.htm - 57k - [Cached](#) - [Similar pages](#)**Banish Security Blunders with an Error-prevention Process**Dangerously-constructed **SQL statements** (for programs that interact with a ... then examine and **modify** the **code** to ensure that it does not provide any ...www.devx.com/security/Article/20678/1954?pf=true - 23k - [Cached](#) - [Similar pages](#)**[PDF] Námskeið í IBM DB2 Universal gagnagrunni**File Format: PDF/Adobe Acrobat - [View as HTML](#)Use UPDATE, INSERT, ALTER and DELETE to **modify SQL** tables. • Use the SELECT **statement** to extract data from tables and views. • **Code SQL** queries that include ...www.t.is/ResourceImage.aspx?raid=294 - [Similar pages](#)**Oracle PL/SQL Training Oracle PL/SQL: Basics online e-learning**Match the PL/SQL **program** constructs with their features. Identify the syntax rules to be applied in ... Write PL/SQL **code** using the IF-THEN-ELSIF **statement**. ...www.training-classes.com/course\_hierarchy/ courses/3577\_Oracle\_PL\_SQL\_Basics.php - 25k - [Cached](#) - [Similar pages](#)**INF: DTS Package Development, Deployment and Performance**However, an ActiveX script task can be used to **modify a SQL Statement** or ... Showing how to **code** the DTS flatfile driver, which is not documented in **SQL** ...support.microsoft.com/default.aspx?scid=kb;en-us;242391&sd=tech - [Similar pages](#)**Linux SQL Programming Systems**

Free/Open Source **SQL Programming** Systems. [ **Recommended** by Linux Journal! ...  
Permission is granted to copy, distribute and/or **modify** this document under ...  
linas.org/linux/db-api.html - 17k - [Cached](#) - [Similar pages](#)

Google Groups results for **recommended sQL statement to modify program code**

- [How to \*\*modify\*\* multiple views programmatically](#) - microsoft.public.fox.programme ... - Jun 19, 2003
- [Attempting my first java connection to an InterBase ...](#) - borland.public.interbase.gener ... - Mar 24, 2001

Try your search again on [Google Book Search](#)

Goooooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

New! Get live World Cup scores on your computer  
[Download Google Desktop](#)

Google

ITLY vs US: Final Score

|               |   |
|---------------|---|
| Italy         | 1 |
| United States | 1 |

Email < >

News < >

57°F Mostly Cloud < >

12:00 AM

recommended sQL statement to mo

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google